

PostBase ten

AWARD WINNING DESIGN



PostBase ten

FLEXIBLE | EXPANDABLE



ADVANCED | SIMPLICITY POSTBASE TEN DYNAMIC









ONE BUTTON

With just one button and a colour touchscreen, PostBase Ten is simple and easy to use with its icon driven menu system.

INTUITIVE OPERATION

PostBase Ten was designed with operators in mind, intuitive and simple to use, PostBase Ten guides users through operation.

ADJUSTABLE VIEW

The large colour touch-screen can be adjusted to six ergonomically optimal positions for the perfect view.

PROFESSIONAL APPEARANCE

Select two adverts or an advert plus SMS-text. Display your logo and customised messages on every mail piece.



PLUG & PLAY

Future proof configuration, two USB-ports and a high-speed LAN connection as well as Wi-Fi and 3G options.



HIGH CAPACITY LETTER STACKER

Unique in this segment, the optional mail stacker can hold up to 10kg and has space for approx. 250 C6/5 letters.



HIGH-SPEED WEIGHING

The dynamic scale recognises envelope size and shape "on-the-fly" and sends the information to the postage meter which calculates the right postage ready for printing, all at up to 90 letters per minute.



LATEST TECHNOLOGY

The PostBase Ten Dynamic system is the latest in the range of PostBase franking systems from FP, with blistering dynamic franking speeds and simple to use interface.



NAVIGATOR PLUS SOFTWARE GIVES YOU TOTAL CONTROL OVER YOUR POSTAGE SPEND

The unequalled PostBase Navigator Plus Software makes operating and configuring your PostBase postage meter even simpler and faster as well as allowing you to report on every mail piece.

Print, display and export cost account data into your preferred accounting system.

Simply use your existing PC or laptop as a "remote control" for your PostBase or use with a tablet PC – with a standard USB connection. The result is the world's biggest postage meter display: PostBase comfort in XXL.

At the same time, use the Navigator Software to review all data registered in your PostBase and print reports or lists at the press of a button. Postage can be analysed by postal product, by weight or by user, the timing can be adjusted flexibly. Reports can also be exported to common office software programmes in CSV-format allowing you to import it into your accounting software for analysis.

Postbase ten

TECHNICAL SPECIFICATIONS

Colours



| Housing colours | Platinum blue |
|--|------------------------|
| | |
| Hardware | PostBase Ten |
| Colour touch display | yes |
| Printer technology | Inkjet |
| Maximum envelope thickness | 10mm |
| Label dispenser | yes |
| Standard envelope tray | yes |
| Envelope stacking box | optional |
| Manual envelope sealer | optional |
| Automatic feeder with integrated envelope sealer | optional |
| PostBase Ten: Performance with dynamic weighing (items/min) | up to 90 |
| PostBase Ten: Performance without dynamic weighing (items/min) | up to 110 |
| Integrated scale – capacity in kg/differential weighing | 5kg 7kg option / yes |
| Dynamic Scale | optional |
| Connectivity – Highspeed-LAN | yes |
| Wi-Fi and 3G connectivity | optional |
| Software | Miles III |
| NavigatorBasic** (PC-control software) | yes |
| NavigatorPlus** (costs management) | optional |
| Access protection by PIN | yes |



100 | 250

** requires MS Window operating system

Cost accounts standard | max

Programmable speed-buttons

Adverts capacity

SMS texts

Specifications subject to change. Colours shown in photos and images may slightly deviate from the true colour.





FP_Mailing

FP Ltd
74 Questor
Powdermill Lane
Dartford, Kent.
DA1 1EF
freephone: 0500 223 563
www.fpmailing.co.uk



NO BARTAGE SECTION OF